	PERMITS, APPROVALS AND INSPECTIONS	BALTIMORE COUNTY BUILDING CODE SWIMMING POOLS, SPAS AND HOT TUBS BARRIER REQUIREMENTS	REVISION 7-15-15 _____ _____ DRAWN BY JOS VENTURINA




FIGURE 1- PICKET FENCE

(HORIZONTAL MEMBERS 45" OR MORE APART)

ALL MEASUREMENTS SHOULD BE TAKEN OUTSIDE BARRIER OR FENCE. DECORATIVE CUTOUTS SPACING WITHIN VERTICAL MEMBERS SHALL NOT EXCEED 1-3/4" IN WIDTH.





FIGURE 2- PICKET FENCE

(HORIZONTAL MEMBERS LESS THAN 45" APART)


ALL MEASUREMENTS SHOULD BE TAKEN OUTSIDE BARRIER OR FENCE. DECORATIVE CUTOUTS SPACING WITHIN VERTICAL MEMBERS SHALL NOT EXCEED 1-3/4" IN WIDTH.



**FIGURE 3
CHAIN LINK**

**FIGURE 4
POST & RAIL**

ALL MEASUREMENTS SHOULD BE TAKEN OUTSIDE BARRIER OR FENCE. DECORATIVE CUTOUTS SPACING WITHIN VERTICAL MEMBERS SHALL NOT EXCEED 1-3/4" IN WIDTH.



GATES SHALL HAVE A SELF-LATCHING, SELF-CLOSING DEVICE LOCATED INSIDE THE POOL AREA.

BARRIER ALARMS WHERE REQUIRED SHALL BE LISTED & LABELED AS A WATER HAZARD ENTRANCE ALARM IN ACCORDANCE WITH UL 2017.



**PERMITS, APPROVALS AND
INSPECTIONS**

BALTIMORE COUNTY BUILDING CODE

**SWIMMING POOLS, SPAS AND HOT
TUBS BARRIER REQUIREMENTS**

REVISION

7-15-15 _____

DRAWN BY

JOS VENTURINA